

Add/Edit User

Deskera Development Space

Exported on 12/18/2019

Table of Contents

- 1 Success 5
- 2 POST/Edit User..... 6
 - 2.1 Success 7

POST/Add User

Let's look an example – wherein we Add User.

To Add User.

/company/user :

ex: <REST_APPS_ENDPOINT>/rest/v1/company/remotouser?token=ABC

Parameters	Required/ Optional	Description	Default values	Input
username	Required	Username of user.	-	combination of alphabet number and . and _ symbol
companyid	Required	Company id of the login company user.	-	existing company id
userid	Required	Userid of user.	-	new userid
fname	Required	First name of user.	-	combination of alphabet number and . symbol
lname	Required	Last name of user.	-	combination of alphabet number and . symbol
emailid	Required	Email id of user.	-	user email id
gender	Required	Gender of user. (1-Male , 2-Female)	Male	1/2 or Male/Female
appid	Required	In which application user is to be create		integer
roleid	Required	Role of the user	-1	integer
employeeid	Optional	Employee id of user(You can add more fields).		combination of alphabet and number and -
address	Optional	Address of user.		user address
contactno	Optional	Contact number of user.		numeric
loginUserId	Optional	Login user's userid.	Company creator's userid	creator's or logged in user's userid
companyname	Optional	Name of company.		combination of alphabet ,number.

Parameters	Required/ Optional	Description	Default values	Input
joiningdate	Optional	Date of joining of the user.	Current Date	date in yyyy-MM-dd format
confirmationdate	Optional	Date of confirmation of the user.	Current Date	date in yyyy-MM-dd format
department	Optional	Department of user.		combination of alphabet ,number.
designation	Optional	Designation of user.		combination of alphabet ,number.
nationality	Optional	Nationality of user.		integer value
origin	Optional	Origin url if company created through selfservice portal.	Company origin	URL string
token	Required	Authentication Token		

Request Example

```
{
  "companyid": "71402c07-222b-4cee-bc4c-8ad28ada8c01",
  "username": "glenn",
  "userid": "369f80ce-93f9-11e8-bd91-eca86bfd8fb6",
  "fname": "John",
  "lname": "Glenn",
  "emailid": "glenn@yopmail.com",
  "gender": 1,
  "address": "pune",
  "employeeid": "A-15",
  "joiningdate": "2017-09-28",
  "confirmationdate": "2017-09-28",
  "department": "Development",
  "contactno": "1234567890",
  "companyname": "Testanshul",
  "loginUserId": "146e916a-133b-4451-9d11-a75fca42e604",
  "createnew": true,
  "appid": 4,
  "roleid": 17
}
```

1 Success

Response	JSON	message, success flag for identification if the service call was successful or not.
----------	------	---

Response on success
<pre>{ "success": true }</pre>

2 POST/Edit User

Let's look at another example – wherein we Edit User.

To Edit User.

/company/user :

ex: <REST_APPS_ENDPOINT>/rest/v1/company/sync-user-data?token=ABC

Parameters	Required/Optional	Description
userid	Required	Userid of user.
companyid	Required	Company id of the login company user.
emailid	Required	Email id of user.
userdata	Required	Json Object containing flag isHRMScall =true/false
loginUserId	Required	Userid of login user.
fname	Optional	First name of user.
lname	Optional	Last name of user.
employeeid	Optional	Employee id of user to be edit (you can add fields which want to edit).
address	Optional	Address of user (You can add more fields).
token	Required	Authentication Token

Request Example

```
{
  "companyid": "71402c07-222b-4cee-bc4c-8ad28ada8c01",
  "userid": "369f80ce-93f9-11e8-bd91-eca86bfd8fb6",
  "fname": "John",
  "lname": "Glenn",
  "designation": "Tester",
  "loginUserId": "146e916a-133b-4451-9d11-a75fca42e604",
  "emailid": "john_glenn@yopmail.com",
  "userdata": {
    "isHRMScall": false
  }
}
```

2.1 Success

Response	JSON	message, success flag for identification if the service call was successful or not.
----------	------	---

Response on success
<pre>{ "data": {}, "success": true }</pre>