

Get Default Headers

Deskera Development Space

Exported on 12/18/2019

Table of Contents

1 Get Header List.....	4
2 Request Method	5
3 Parameter.....	6
4 Success 200	7

GET/ Get Default Headers

Let's look at another example – wherein we get default header.

1 Get Header List

/master/header:Get

e.g,

<REST_CRM_ENDPOINT>/rest/v1/master/header?request={}&token=ABC

2 Request Method

Get

3 Parameter

Field	Type	Description
Token	String	Authorized token for integration.
Request	JSON	Get default header information

Example of Request

```
{
  "modulename": "External Events",
  "cdomain": "testdomain"
}
```

4 Success 200

Field	Type	Description
Response	JSON	All header details.

Response on Success

```
{
  "message": "Deskera - CRM - External Events module's headers have been fetched for mapping.",
  "totalCount": 33,
  "data": [{
    "recordname": "Custom_EL EL Numeric Field",
    "maxLength": 15,
    "xtype": "numberfield",
    "customflag": true,
    "ismandatory": false,
    "headerName": "EL EL Numeric Field"
  },
  {
    "recordname": "Custom_Dropdown",
    "maxLength": 5,
    "xtype": "combo",
    "customflag": true,
    "ismandatory": false,
    "headerName": "Dropdown"
  },
  {
    "recordname": "eventtitle",
    "maxLength": 255,
    "xtype": "textfield",
    "customflag": false,
    "ismandatory": true,
    "headerName": "Event Title"
  },
  {
    "recordname": "bootharea",
    "maxLength": 255,
    "xtype": "textfield",
    "customflag": false,
    "ismandatory": false,
    "headerName": "Booth Area"
  },
  {
    "recordname": "threshold",
    "maxLength": 15,
    "xtype": "numberfield",
    "customflag": false,
    "ismandatory": false,
    "headerName": "Threshold"
  },
  {
    "recordname": "eventstartdate",
    "maxLength": 0,
    "xtype": "timefield",
    "customflag": false,
    "ismandatory": true,
    "headerName": "Event Start Time"
  },
  {
```

```

        "recordname": "divisions",
        "maxLength": 0,
        "xtype": "combo",
        "customflag": false,
        "ismandatory": true,
        "headerName": "Divisions"
    },
    {
        "recordname": "descriptionofevent",
        "maxLength": 1024,
        "xtype": "textarea",
        "customflag": false,
        "ismandatory": false,
        "headerName": "Description of Event"
    },
    {
        "recordname": "Custom_Time",
        "maxLength": 16,
        "xtype": "timefield",
        "customflag": true,
        "ismandatory": false,
        "headerName": "Time"
    },
    {
        "recordname": "Custom_Text Area",
        "maxLength": 50,
        "xtype": "textarea",
        "customflag": true,
        "ismandatory": false,
        "headerName": "Text Area"
    },
    {
        "recordname": "boothnumber",
        "maxLength": 255,
        "xtype": "textfield",
        "customflag": false,
        "ismandatory": false,
        "headerName": "Booth Number"
    },
    {
        "recordname": "Custom_E NMC",
        "maxLength": 15,
        "xtype": "numberfield",
        "customflag": true,
        "ismandatory": true,
        "headerName": "E NMC"
    },
    {
        "recordname": "registrationenddate",
        "maxLength": 0,
        "xtype": "timefield",
        "customflag": false,
        "ismandatory": true,
        "headerName": "Registration End Time"
    },
    },

```

```

{
  "recordname": "registrationstartdate",
  "maxLength": 0,
  "xtype": "timefield",
  "customflag": false,
  "ismandatory": true,
  "headerName": "Registration Start Time"
},
{
  "recordname": "eventstartdate",
  "maxLength": 0,
  "xtype": "datefield",
  "customflag": false,
  "ismandatory": true,
  "headerName": "Event Start Date"
},
{
  "recordname": "eventenddate",
  "maxLength": 0,
  "xtype": "datefield",
  "customflag": false,
  "ismandatory": true,
  "headerName": "Event End Date"
},
{
  "recordname": "fee",
  "maxLength": 0,
  "xtype": "combo",
  "customflag": false,
  "ismandatory": false,
  "headerName": "Fee"
},
{
  "recordname": "registrationenddate",
  "maxLength": 0,
  "xtype": "datefield",
  "customflag": false,
  "ismandatory": true,
  "headerName": "Registration End Date"
},
{
  "recordname": "eventenddate",
  "maxLength": 0,
  "xtype": "timefield",
  "customflag": false,
  "ismandatory": true,
  "headerName": "Event End Time"
},
{
  "recordname": "registration",
  "maxLength": 0,
  "xtype": "combo",
  "customflag": false,
  "ismandatory": false,
  "headerName": "Registration"
}

```

```

},
{
  "recordname": "contactperson",
  "maxLength": 255,
  "xtype": "combo",
  "customflag": false,
  "ismandatory": false,
  "headerName": "Contact Person"
},
{
  "recordname": "exhibitors",
  "maxLength": 255,
  "xtype": "combo",
  "customflag": false,
  "ismandatory": false,
  "headerName": "Exhibitors"
},
{
  "recordname": "eventstatus",
  "maxLength": 0,
  "xtype": "combo",
  "customflag": false,
  "ismandatory": false,
  "headerName": "External Event Status"
},
{
  "recordname": "venuetype",
  "maxLength": 0,
  "xtype": "combo",
  "customflag": false,
  "ismandatory": false,
  "headerName": "Venue Type"
},
{
  "recordname": "Custom_Date",
  "maxLength": 50,
  "xtype": "datefield",
  "customflag": true,
  "ismandatory": true,
  "headerName": "Date"
},
{
  "recordname": "Custom_Multiselect",
  "maxLength": 1000,
  "xtype": "select",
  "customflag": true,
  "ismandatory": false,
  "headerName": "Multiselect"
},
{
  "recordname": "registrationstartdate",
  "maxLength": 0,
  "xtype": "datefield",
  "customflag": false,
  "ismandatory": true,

```

```

        "headerName": "Registration Start Date"
    },
    {
        "recordname": "trainingtype",
        "maxLength": 0,
        "xtype": "combo",
        "customflag": false,
        "ismandatory": false,
        "headerName": "Training Type"
    },
    {
        "recordname": "industrygroup",
        "maxLength": 0,
        "xtype": "combo",
        "customflag": false,
        "ismandatory": true,
        "headerName": "Industry Group"
    },
    {
        "recordname": "Custom_E Text Fields",
        "maxLength": 50,
        "xtype": "textfield",
        "customflag": true,
        "ismandatory": true,
        "headerName": "E Text Fields"
    },
    {
        "recordname": "venue",
        "maxLength": 255,
        "xtype": "textfield",
        "customflag": false,
        "ismandatory": false,
        "headerName": "Venue"
    },
    {
        "recordname": "eventcategories",
        "maxLength": 0,
        "xtype": "combo",
        "customflag": false,
        "ismandatory": true,
        "headerName": "Event Categories"
    },
    {
        "recordname": "capacity",
        "maxLength": 15,
        "xtype": "numberfield",
        "customflag": false,
        "ismandatory": false,
        "headerName": "Capacity"
    }
    ],
    "success": true
}

```