

Internal Events

Deskera Development Space

Exported on 12/18/2019

Table of Contents

1 GET/ Get Internal Event	3
1.1 Get Internal Event List.....	3
1.2 Request Method	3
1.3 Parameter.....	3
1.4 Success	3
2 POST/ Save Internal Event.....	5
2.1 To Save Internal Event.....	5
2.2 Request Method	5
2.3 Parameter.....	5
2.4 Success	6
3 POST/ Update Internal Event	7
3.1 To Update Internal Event.....	7
3.2 Request Method	7
3.3 Parameter.....	7
3.4 Success	8

1 GET/ Get Internal Event

Let's look at another example – wherein we get Internal Event.

1.1 Get Internal Event List

/master/internalevent:Get

ex: <REST_CRM_ENDPOINT>/rest/v1/master/internalevent?request={}&token=ABC

1.2 Request Method

Get

1.3 Parameter

Field	Type	Description
Token	String	Authorized token for integration.
Request	JSON	Get Internal information

Example of Request

```
{
  "cdomain":"testdomain",
  "userName":"admin"
}
```

1.4 Success

Field	Type	Description
Response	JSON	Get Internal Event Details

Response on Success

```
{
  "totalCount": 2,
  "data": [
    {
      "eventenddate": 1510925160000,
      "location": "SMF, Singapore",
      "updatedon": 1510821066857,
      "meetingtype": "Formal",
      "Custom_I1D_value": "10",
      "createdon": 1510770600000,
      "eventtitle": "Test Internal Event",
      "eventendtime": 1510925160000,
      "Custom_I1D": "402880955fbefccd015fbf40f41b0019",
      "eventstartdate": 1510925160000
    },
    {
      "eventenddate": 1510871400000,
      "location": "Pune",
      "updatedon": 1510799352886,
      "meetingtype": "Other",
      "Custom_I1D_value": "40",
      "createdon": 1510684200000,
      "eventtitle": "Test Internal Event Title",
      "eventendtime": 1510871400000,
      "Custom_I1D": "402880955fbefccd015fbf40f41c001c",
      "eventstartdate": 1510857000000
    }
  ],
  "success": true
}
```

2 POST/ Save Internal Event

Let's look at another example – wherein we save a Internal Event with the given data.

2.1 To Save Internal Event

/master/internalevent:

ex: <REST_CRM_ENDPOINT>/rest/v1/master/internalevent?token=ABC

2.2 Request Method

POST

2.3 Parameter

Field	Type	Description
Request	String	Authorized token for integration.
Body	JSON	Company's domain and data (attributes can be used from master/header passing/ module name as Internal Event) should pass in JSON.
Registration Start/End Dates and Time	Numeric	Long value in GMT

Example of Body

```
{
  "cdomain": "testdomain",
  "userName": "admin",
  "data": [
    {
      "eventenddate": 1509698940000,
      "location": "Pune",
      "updatedon": 1509689993588,
      "meetingtype": "Function Committee",
      "createdon": 1509647400000,
      "eventtitle": "Trip",
      "eventendtime": 1509698940000,
      "eventstartdate": 1509698940000
    }
  ]
}
```

2.4 Success

Field	Type	Description
Response	JSON	Event ID, and success flag for identification if the service call was successful or not.

Response on Success

```
{
  "message": "Internal Event(s) added successfully.",
  "internaleventid": ["419ee9d7-9667-405d-bb9c-95704cdbc16a"],
  "success": true
}
```

3 POST/ Update Internal Event

Let's look at another example – wherein we update a Internal Event with the given data.

3.1 To Update Internal Event

/master/internalevent:

ex: <REST_CRM_ENDPOINT>/rest/v1/master/internalevent?token=ABC

3.2 Request Method

POST

3.3 Parameter

Field	Type	Description
Request	String	Authorized token for integration.
Body	JSON	Company's domain and data (internaleventid and attributes can be used from master/header passing/ module name as Internal Event) should pass in JSON.
Registration Start/End Dates and Time	Numeric	Long value in GMT

Example of Body

```
{
  "cdomain": "testdomain",
  "userName": "admin",
  "data": [
    {
      "internaleventid": "419ee9d7-9667-405d-bb9c-95704cdbd16a",
      "location": "Pune",
      "meetingtype": "Function Committee",
      "eventtitle": "Trip"
    }
  ]
}
```

3.4 Success

Field	Type	Description
Response	JSON	Event ID, and success flag for identification if the service call was successful or not.

Response on Success

```
{
  "message": "Internal Event(s) added successfully.",
  "internaleventid": ["419ee9d7-9667-405d-bb9c-95704cdbc16a"],
  "success": true
}
```

Notes :

1. Update process is work on main id (internaleventid).
2. Record was update only when main id is present in database.