

Wages Per Hour

Deskera Development Space

Exported on 12/18/2019

Table of Contents

1 GET / Wages Per Hour	3
1.1 Request Method	3
1.2 Parameter	3
1.3 Example of Request	3
1.4 Response	4
1.5 Example of Response.....	5

1 GET / Wages Per Hour

Retrieving hourly wages per employee from the system.

<REST_HRMS_ENDPOINT>/rest/v1/payroll/wagesPerHour

e.g: <https://sg21.hrms.deskera.com/rest/v1/payroll/wagesPerHour?request={} & token=A11AZ>

1.1 Request Method

GET

1.2 Parameter

Field	Type	Description
token	String	Authorized token for integration.
request	JSON	Company's domain should pass in JSON.

Parameters	Required/Optional	Description
cdomain	Required	Subdomain of the company
searchvalue	Optional	For a quick search, for searching, we can pass employee first name, last name or employee id
start	Optional	Start number to fetch record
limit	Optional	How many records to be fetched

1.3 Example of Request

Request

```
{
  "cdomain": "testanshu1",
  "username": "admin",
  "start": "0",
  "limit": "5",
  "searchvalue": "Patil"
}
```

1.4 Response

Field	Type	Description
Response	JSON	Details of hourly wages
Field	Description	
fullname	Employee name	
hourlywagerate	Hourly wage rate	
hourscount	Total no of hours	
ot1hours	Overtime time 1 hours.	
ot2hours	Overtime time 2 hours.	
ot3hours	Overtime time 3 hours.	
ot4hours	Overtime time 4 hours.	
ot1rate	Overtime time 1 rate	
ot2rate	Overtime time 2 rate	
ot3rate	Overtime time 3 rate	
ot4rate	Overtime time 4 rate	
hourlyotmultiplier1	Overtime multiplier 1	
hourlyotmultiplier2	Overtime multiplier 2	
hourlyotmultiplier3	Overtime multiplier 3	

hourlyotmultiplier4	Overtime multiplier 4
perHourCost	Per hour cost
Overtime1rateEleave	Overtime time 1 rate for eleave source
Overtime2rateEleave	Overtime time 2 rate for eleave source

1.5 Example of Response

Response

```
{
  "data": [
    {
      "ot1rate": 0,
      "ot1hours": 0,
      "utwagerate": 0,
      "ot3rate": 0,
      "otdenominator": 0,
      "ot3hours": 0,
      "utdenominator": 0,
      "hourlywagerate": 2,
      "hourlypayrollsource": 1,
      "hourlyotmultiplier3": 0,
      "hourlyotmultiplier4": 0,
      "hourscount": 1,
      "hourlyotmultiplier1": 1.5,
      "ot2rate": 0,
      "hourlyotmultiplier2": 2,
      "ot2hours": 0,
      "ot4rate": 0,
      "perHourCost": 0,
      "uttype": 0,
      "otdenominator": 0,
      "fullname": "test Patil",
      "overtime": 0,
      "ot4hours": 0
    }
  ],
  "success": true,
  "totalCount": 1
}
```