

Opportunity

Deskera Development Space

Exported on 12/18/2019

Table of Contents

- 1 POST/ Save Opportunity..... 3
 - 1.1 Request Method 3
 - 1.2 Parameter..... 3
 - 1.3 Success 4

1 POST/ Save Opportunity

Let's look at another example – wherein we save a Opportunity with the given data.

To Save Opportunity

/master/opportunity:

ex: <REST_CRM_ENDPOINT>/rest/v1/master/opportunity?token=ABC

1.1 Request Method

POST

1.2 Parameter

Field	Type	Description
Request	String	Authorized token for integration.
Body	JSON	Company's domain and data (attributes can be used from master/header passing/ module name as Opportunity) should pass in JSON.
Dates and Time	Numeric	Long value in GMT
parentmodulename	String	Key is mandatory in Account / Lead name flow

```
{
  "cdomain": "newpm2",
  "username": "lipika",
  "data": [
    {
      "oppname": "opp1",
      "Custom_vishwas": "temp1",
      "phoneno": "95681212",
      "email": "test@deskera.com",
      "salesamount": "1256",
      "partnervalue": "Partner p1",
      "createdon": "1554983880015",
      "closingdate": "1523018335",
      "price": "152",
      "parentmodulename": "Account",
      "accountnameid": "A1",
      "Custom_n1": "23",
      "approvevalue": "Approved1",
      "stagevalue": "Closed Lost"
    }
  ]
}
```

1.3 Success

Field	Type	Description
Response	JSON	Opportunity ID, opportunity name and success flag for identification if the service call was successful or not.

Response on Success

```
{
  "data": [
    {
      "opportunityid": "895b9a7e-9b6b-435c-b1b4-40dffeced07a",
      "success": true,
      "oppname": "opp1",
      "message": "Opportunity added successfully."
    }
  ],
  "success": true,
  "message": "Opportunities are saved."
}
```

Note: Need "parentmodulename" key in case Account / Lead name flow is on otherwise don't send key.