

Custom Combo Rest Services

Deskera Development Space

Exported on 12/18/2019

Table of Contents

1 GET/ Custom Combo Data	3
1.1 To GET custom Combo Data	3
1.2 Request Method	3
1.3 Parameter	3
1.4 Example of Request	3
1.5 Response	4
1.6 Example of Response	5
2 POST/ Add Custom Combo Value	6
2.1 To add custom combo field value	6
2.2 Request Method	6
2.3 Parameter	6
2.4 Example of Request	6
2.5 Response	7
2.6 Example of Response	7
3 POST/ Update Custom Combo Value	8
3.1 To update custom combo field value	8
3.2 Request Method	8
3.3 Parameter	8
3.4 Example of Request	9
3.5 Response	9
3.6 Example of Response	9
4 DELETE/ Delete Custom Combo Value	10
4.1 To delete custom combo field value	10
4.2 Request Method	10
4.3 Parameter	10
4.4 Example of Request	11
4.5 Response	12
4.6 Example of Response	12

1 GET/ Custom Combo Data

Retrieving custom field combo data from the system.

1.1 To GET custom Combo Data

Get Header List

master/customcombodata:

ex: <REST_ECLAIMS_ENDPOINT>/rest/v1/master/customcombodata?request={}&token=ABC

1.2 Request Method

GET

1.3 Parameter

Field	Type	Description
request	JSON	Details for retrieving custom combo data details
token	Required	Please refer Apps - REST Services ¹

Parameters	Required/Optional	Description
cdomain	Required	Company subdomain
fieldlabel	Optional	Custom combo field label

1.4 Example of Request

Request
<pre>{ "cdomain": "stage22" }</pre>

¹ <http://confluence.deskera.com/display/DEV/Apps+-+REST+Services>

1.5 Response

Field	Type	Description
Response	JSON	Details of each custom field's dropdown

Property	Description				
fieldid	Custom Field drop down id				
fieldlabel	Custom Field drop down name				
fieldvaluedata	Custom Field drop down value array <table> <tr> <th>fieldvalueid</th><th>fieldvalue</th></tr> <tr> <td>Custom Field drop down value id</td><td>Custom Field drop down value</td></tr> </table>	fieldvalueid	fieldvalue	Custom Field drop down value id	Custom Field drop down value
fieldvalueid	fieldvalue				
Custom Field drop down value id	Custom Field drop down value				
groupname	Custom Field drop down group name				

1.6 Example of Response

Response

```
{
  "totalcount": 3,
  "data": [
    {
      "fieldvaluedata": [
        {
          "fieldvalueid": "bef2fe9f-36af-4418-ba08-9be74b5d41d4",
          "fieldvalue": "A"
        }
      ],
      "fieldlabel": "A",
      "groupname": "",
      "fieldid": "647bdcf8-c0d7-4c89-b77f-2d3732817ae3"
    },
    {
      "fieldvaluedata": [
        {
          "fieldvalueid": "35119379-a127-4233-85be-8040b630b430",
          "fieldvalue": "india"
        },
        {
          "fieldvalueid": "49e0006e-114d-4438-a381-eef6dfd976c2",
          "fieldvalue": "singapore"
        }
      ],
      "fieldlabel": "Country",
      "groupname": "",
      "fieldid": "76d24783-1fc1-4d14-89bd-2db0dd621abb"
    },
    {
      "fieldvaluedata": [
        {
          "fieldvalueid": "9fcb5a8b-1a43-4287-bacc-b8f6033957b4",
          "fieldvalue": "A"
        }
      ],
      "fieldlabel": "Dropdown",
      "groupname": "",
      "fieldid": "e7993bbe-f3ba-4623-b16b-a303d9ad9431"
    }
  ],
  "success": true
}
```

2 POST/ Add Custom Combo Value

Adding custom combo field value.

2.1 To add custom combo field value

master/addcustomcomboitem:

ex: <REST_ECLAIMS_ENDPOINT>/rest/v1/master/addcustomcomboitem?token=ABC

2.2 Request Method

POST

2.3 Parameter

Field	Type	Description
request	JSON	Custom field value details in JSON format
token	Required	Please refer Apps - REST Services ²
Parameters	Required/Optional	Description
cdomain	Required	Company subdomain
fieldlabel	Required	Custom combo field label
fieldvalue	Required	Coma separated custom field value's to be added

2.4 Example of Request

Request
<pre>{ "cdomain": "stage22", "fieldlabel": "Country", "fieldvalue": "Australia,China,Brazil" }</pre>

² <http://confluence.deskera.com/display/DEV/Apps+-+REST+Services>

2.5 Response

Field	Type	Description
Response	JSON	Response after custom field value added

Field	Description
success	Shows true or false value of success
message	Message returned from API

2.6 Example of Response

Response
<pre>{ "success": true, "message": "{Custom combo subfield added successfully}" }</pre>

3 POST/ Update Custom Combo Value

Updating custom combo field value.

3.1 To update custom combo field value

master/updatecustomcomboitem:

ex: <REST_ECLAIMS_ENDPOINT>/rest/v1/master/updatecustomcomboitem?token=ABC

3.2 Request Method

POST

3.3 Parameter

Field	Type	Description
request	JSON	Custom field value details in JSON format
token	Required	Please refer Apps - REST Services ³

Parameters	Required/Optional	Description				
cdomain	Required	Company subdomain				
fieldlabel	Required	Custom combo field label				
fieldvaluedata	Required	Custom Field drop down value array <table><tr><th>fieldvalueid</th><th>fieldvalue</th></tr><tr><td>Custom Field drop down value id</td><td>Custom Field drop down updated value</td></tr></table>	fieldvalueid	fieldvalue	Custom Field drop down value id	Custom Field drop down updated value
fieldvalueid	fieldvalue					
Custom Field drop down value id	Custom Field drop down updated value					

³ <http://confluence.deskera.com/display/DEV/Apps+-+REST+Services>

3.4 Example of Request

Request

```
{
  "cdomain": "stage22",
  "fieldlabel": "Country",
  "fieldvaluedata": [
    {
      "fieldvalueid": "006eba8e-f965-4144-8951-0863bb0749b1",
      "fieldvalue": "australia"
    },
    {
      "fieldvalueid": "ce30d301-dcc7-4c41-a90d-41bd608e0734",
      "fieldvalue": "china"
    }
  ]
}
```

3.5 Response

Field	Type	Description
Response	JSON	Response after custom field value updated

Field	Description
success	Shows true or false value of success
message	Message returned from API

3.6 Example of Response

Response

```
{
  "success": true,
  "message": "{Custom combo subfield updated successfully}"
}
```

4 DELETE/ Delete Custom Combo Value

Deleting custom combo field value.

4.1 To delete custom combo field value

master/deletcustomcomboitem:

ex: <REST_ECLAIMS_ENDPOINT>/rest/v1/master/deletcustomcomboitem?request={}&token=ABC

4.2 Request Method

DELETE

4.3 Parameter

Field	Type	Description
request	JSON	Custom field value details in JSON format
token	Required	Please refer Apps - REST Services ⁴
Parameters	Required/Optional	Description
cdomain	Required	Company subdomain

⁴ <http://confluence.deskera.com/display/DEV/Apps+-+REST+Services>

Parameters	Required/Optional	Description										
data	Required	Custom Field drop down array <table><tr><th>fieldlabel</th><th colspan="2">fieldvaluedata</th></tr><tr><td rowspan="3">Custom combo field label</td><td colspan="2">Custom Field drop down value array</td></tr><tr><th>fieldvalueid</th><th>fieldvalue</th></tr><tr><td>Custom Field drop down value id</td><td>Custom Field drop down updated value</td></tr></table>	fieldlabel	fieldvaluedata		Custom combo field label	Custom Field drop down value array		fieldvalueid	fieldvalue	Custom Field drop down value id	Custom Field drop down updated value
fieldlabel	fieldvaluedata											
Custom combo field label	Custom Field drop down value array											
	fieldvalueid	fieldvalue										
	Custom Field drop down value id	Custom Field drop down updated value										

4.4 Example of Request

Request
<pre>{ "cdomain": "stage22", "data": [{ "fieldlabel": "Country", "fieldvaluedata": [{ "fieldvalueid": "006eba8e-f965-4144-8951-0863bb0749b1", "fieldvalue": "australia" }, { "fieldvalueid": "ce30d301-dcc7-4c41-a90d-41bd608e0734", "fieldvalue": "china" }] }] }</pre>

4.5 Response

Field	Type	Description
Response	JSON	Response after custom field value deleted

Field	Description
success	Shows true or false value of success
message	Message returned from API

4.6 Example of Response

Response
<pre>{ "success": true, "message": "{Subfield deleted successfully}" }</pre>